

BNPM/OTE/504/2023-24 dated 16.01.2024	BANK NOTE PAPER MILL INDIA PRIVATE LIMITED	
	Providing, supplying, fabricating and erection of MS Structural platform near briquetting duct-finishing section at BNPM campus, Mysore. CORRIGENDUM NO. 2	

CORRIGENDUM No. 2, DATED 20.02.2024

FOR

TENDER NO. BNPM/OTE/504/2023-24 dated 16.01.2024

Providing, supplying, fabricating and erection of MS Structural platform near briquetting duct-finishing section at BNPM campus, Mysore.

PURCHASER: BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

LOCATION : MYSORE, KARNATAKA



BNPM/OTE/504/2023-24
dated 16.01.2024

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

Providing, supplying, fabricating and erection of MS Structural platform near briquetting duct-finishing section at BNPM campus, Mysore.

CORRIGENDUM NO. 2

Please refer: - Section: VI – List of Requirements (Tender Page No: 40)

The contents as mentioned in the tender under List of Requirements is replaced with the below mentioned content:-

Corrected			
Sl no	Description of work	UOM	QTY
1	Providing, Fabricating, supplying and erecting ISMC Channel in all sizes fixing to concrete beam/slab with wedge anchor bolts and plates welding wherever necessary, and applying one coat of red oxide primer coat to all the members and two coat of grey colour enamel paint including cost of all materials, labour charges, and hire charges of machineries for cutting, welding , grinding and erection equipment's (including scaffoldings), with all lead and lift, transportation, etc., complete as per the specification	Kg	650
2	Providing and fixing GI Hand railing for platform with 40mm dia. GI hollow pipe of medium gauge, welded to 100mmx100mmx8mm M.S base plate, vertical MS Pipe spaced at 1000mm. height of the vertical railing to be 1000mm from platform level, two horizontal pipes are at top and centre of railing with 40mm dia GI Pipe , end of railing should be welded to L bend pipes, and applying two coats of enamel paint of approved colour with one coat of red oxide primer coat, all the joints and sections should be cut to length, welded and grinded wherever necessary etc. , complete. The work includes cost of all materials, labour charges for all items of work, hire charges for welding, cutting and grinding equipment, etc. complete as per specification and drawing.	M	40
3	Providing, fabricating, fixing, setting and keeping in position at all levels and locations MS gratings (galvanized) for floors, staircases etc. of material confirming to IS2062 and galvanizing confirming to IS2629 (minimum weight of Zinc shall be 900 grams per meter of surface area with minimum uniform thickness of 0.12mm) as directed handling and transporting, any other fixtures, etc. complete as directed and specified by engineer in charge.	Kg	1150



SECTION XI – PRICE SCHEDULE

(TO BE FILLED ONLINE ONLY THROUGH E PORTAL)

(A copy of sealed & signed blank price schedule has to be submitted along with pre-qualification & techno-commercial offer)

Dear Sir, **Sub: PRICE BID FOR PROVIDING, SUPPLYING, FABRICATING AND ERECTION OF MS STRUCTURAL PLATFORM NEAR BRIQUETTING DUCT-FINISHING SECTION AT BNPM, MYSORE**

Ref: e-Tender No. BNPM/ OTE/504/2023-24 Dated 16.01.2024

We have received and understood the above tender enquiry and are pleased to submit our price bid as under:

PRICE SCHEDULE					
E-tender No. BNPM/OTE/504/2023-24 Dated 16.01.2024					
SI No.	Description	Unit	Qty	Rate per unit in Rs.	Amount in Rs
1	Providing, Fabricating, supplying and erecting ISMC Channel in all sizes fixing to concrete beam/slab with wedge anchor bolts and plates welding wherever necessary, and applying one coat of red oxide primer coat to all the members and two coat of grey colour enamel paint including cost of all materials, labour charges, and hire charges of machineries for cutting, welding , grinding and erection equipment's (including scaffoldings), with all lead and lift, transportation, etc., complete as per the specification	Kg	650		-
2	Providing and fixing GI Hand railing for platform with 40mm dia. GI hollow pipe of medium gauge, welded to 100mmx100mmx8mm M.S base plate, vertical MS Pipe spaced at 1000mm. height of the vertical railing to be 1000mm from platform level, two horizontal pipes are at top and centre of railing with 40mm dia GI Pipe , end of railing should be welded to L bend pipes, and applying two coats of enamel paint of approved colour with one coat of red oxide primer coat, all the joints and sections should be cut to length, welded and grinded wherever necessary etc. , complete. The work includes cost of all materials, labour charges for all items of work, hire charges for welding, cutting and grinding equipment, etc. complete as per specification and drawing.	M	40		-
3	Providing, fabricating, fixing, setting and keeping in position at all levels and locations MS gratings (galvanized) for floors, staircases etc. of material conforming to IS2062 and galvanizing conforming to IS2629 (minimum weight of Zinc shall be 900 grams per meter of surface area with minimum uniform thickness of 0.12mm) as directed handling and transporting, any other fixtures, etc. complete as directed and specified by engineer in charge.	Kg	1150		-
Total Amount exclusive of taxes					-
		SAC code		GST amount in Rs	
Grand total inclusive of taxes					-

Name

Signature with Date

Note: i) Note: Evaluation shall be done considering the GST. GST is to be quoted in the column provided, if the same is not quoted (or left blank) it will be considered as the prices are inclusive of GST. SAC code also to be entered. (GST amount to be entered not the percentage)

Multiple /Variable rate for single item, would lead to rejection of offer.



Reference drawing for GI grating:



Horizontal and peripheral members shall be of 40mm x 5mm GI flat, spacing between the horizontal members shall be 50mm

Vertical members of grating shall be 6mm GI rod spacing between the rods shall be 100mm

Note: Grating Weight per Sq Mtr shall not exceed 39kg

