

BNPM/LTE/AMC ROLLING SHUTTER/448/2018-19 Dated 21.08.2018	<b>BANK NOTE PAPER MILL INDIA PRIVATE LIMITED</b>	SHEET 1 OF 1
	<b>Providing AMC rolling shutter at BNPM campus, Mysore.</b> <b>CORRIGENDUM NO. 1</b>	

**CORRIGENDUM No. 1, DATED.27.08.2018**

**FOR**

**TENDER NO. BNPM/LTE/AMC ROLLING SHUTTER/448/2018-19 Dated 21.08.2018**

**Providing AMC for rolling shutter at BNPM campus, Mysore**

CLIENT : BANK NOTE PAPER MILL INDIA PRIVATE LIMITED  
PROJECT : 12000 TPA BANK NOTE PAPER MILL AT MYSORE  
LOCATION : MYSORE, KARNATAKA



**BANK NOTE PAPER MILL INDIA PRIVATE LIMITED  
NOTE MUDRAN NAGAR  
MYSORE 530005**



BNPM/LTE/AMC ROLLING SHUTTER/448/2018-19 Dated 21.08.2018	<b>BANK NOTE PAPER MILL INDIA PRIVATE LIMITED</b>	SHEET 1 OF 1
	<b>Providing AMC rolling shutter at BNPM campus, Mysore. CORRIGENDUM NO. 1</b>	

**1.0 SCOPE OF THIS CORRIGENDUM**

1.1 This corrigendum dated 27.08.2018, is issued for clarifications to the tender for Providing AMC rolling shutter at BNPM campus, Mysore. (e-Tender No. BNPM/LTE/AMC ROLLING SHUTTER/448/2018-19 Dated 21.08.2018

1.2 Except for details mentioned herein, all other details contained in the tender no. (e-Tender No. BNPM/LTE/AMC ROLLING SHUTTER/448/2018-19 Dated 21.08.2018, shall remain applicable and unchanged.

**1.3 REVISION TO THE TENDER:-**

1.4

**“Revised Price Bid Format is attached”.**

**1.5 CLARIFICATIONS TO THE TENDER**

Please refer: - Section: VI – List of Requirements (Tender Page No: 3, 33 and 43)

The contents as mentioned in the tender under List of Requirements is replaced with the below mentioned content:-

As Mentioned in Tender	May be read as
Providing AMC for repair & servicing of motorized rolling shutters including assembling after repair of i.e top hood shaft cage, shaft case, shaft brackets, springs, side guides bottom rails, gear units, bearing , electric motors, starters and thoroughly cleaning all the components, adjusting the tensioning springs, overhauling or repairing shaft and gear units, re-conditioning and clips, re-aligning curtain ends, reconditioning dents if any, on the surface bottom rail and side guides, repairing the starters, inspecting , taking out	Providing AMC for repair & Servicing of motorised rolling shutters (existing make of shutter is Shakti met company) including assembling after repair of i.e top hood shaft cage, shaft case, shaft brackets, springs, side guides bottom rails, gear units, bearings, electric motors, starters and thoroughly cleaning all the components, adjusting the tensioning springs, overhauling or repairing shaft and gear units, re-conditioning end clips, re-aligning curtain ends, reconditioning dents if any, on the surface bottom rail and side guides, repairing the starter, inspecting, taking out and replacing the damaged or defective components (except motor replacement),



BNPM/LTE/AMC ROLLING SHUTTER/448/2018-19 Dated 21.08.2018	<b>BANK NOTE PAPER MILL INDIA PRIVATE LIMITED</b>	SHEET 1 OF 1
	<b>Providing AMC rolling shutter at BNPM campus, Mysore. CORRIGENDUM NO. 1</b>	

<p>and replacing the damaged or defective components, ensuring proper locking arrangements from both side and outside including all welding, drilling , straightening, grinding, erection of scaffolding, ladders, tools, tackles, labor, transportation with all consumables, such as lubricant like gears etc. and all hardware's such as nuts, bolts, rivets, screws, washers, keys, etc. for effective working of rolling shutter.</p>	<p>ensuring proper locking arrangements from both side and outside including all welding, drilling, straightening, grinding, erection of scaffolding, ladders, tools, tackles, labour, transportation with all consumables, such as lubricants like grease etc. and all hardwares such as nuts, bolts, rivets, screws, washers, keys, etc. for effective working of rolling shutter.</p>
--	--

**Please refer: - Section: VII – Technical Specifications (Tender Page No: 34)**

The contents as mentioned in the tender under scope and specification of work may be read as mentioned below:

As Mentioned in Tender	May be read as
<p>Servicing / Maintenance of each rolling shutter shall be carried out twice in a year with 6 month gap for one year as follows</p>	<p>Servicing / Maintenance of each rolling shutter shall be carried out quarterly once as follows</p>

And also incorporated few additional points in the tender document and specification

1. Proper checklist/ completion report of individual rolling shutter is to be submitted duly signed by the contractor and BNPM representative.
2. During emergency call contractor shall attend the complaint within 24 hrs.
3. Contractor shall provide one coat of primer and two coat of anti-corrosion paint before closing pf the contract.
4. BNPM will give new motor or rewinding. Replacement is in the scope of the vendor.

