



बैंक नोट पेपर मिल इण्डिया प्रा. लिमिटेड

BANK NOTE PAPER MILL INDIA PVT LIMITED

JV of SPMCIL - A Govt. of India Enterprises & BRBNMPL - A Subsidiary of RBI

**BANK NOTE PAPER MILL INDIA PRIVATE LIMITED**

**CIN: U21090KA2010PTC055475**

**CORPORATE OFFICE, MYSORE**

[gopalakrishnan.m@bnpmindia.com](mailto:gopalakrishnan.m@bnpmindia.com)

**Ph: 0821 2401 158**

**Limited Tender Enquiry No: BNPM/LTE/MECHANICAL SPARES/490/2018-19**

**Issuing Date: 20.10.2018 13:00 hrs.**

**Closing date: 26.10.2018 15:00 hrs.**

**1. Scope of work:** Supply of following items,

- a. Disc Diffuser – 12”.
- b. ¾” FNPT Thread Coupling.

**2. Terms & Conditions:**

S. No	Particulars	Quantity
1.	Payment Terms	100% payment shall be done within 30 days from date of receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price.
4.	Packing & Forwarding	Shall be included in quoted price.
5.	Delivery Terms	D.A.P, Bank Note Paper Mill India Private Limited, Mysore
6.	Warranty Period	..... from date of supply at BNPM, Mysuru
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period	..... weeks from date of receipt of purchase order
9.	Bid Validity	30 days from closing date of tender including extensions (if any).
10.	Material to be delivered at	Engineering Stores, Bank Note Paper Mill India Private Limited, Note Mudran Nagar, Mysore 570 003.
11.	Contact person	Mr. Gopalakrishnan M P: 0821-2401158



**Technical Specification:**

1. Disc Diffuser:
  - a. Effective diameter of membrane – 12”.
  - b. End connection – ¾”NPT male thread.
  - c. Size of perforation – 1 mm (or) less.
  - d. Optimum air through put – 5 m<sup>3</sup>/hr.
  - e. Membrane MOC – EPDM.
  - f. Material of base – High Strength Plastic (or) better.
  - g. Required SOTE (Standard Oxygen Transfer Efficiency) – Min 5% per meter of immersion

(Note: Manufacturer datasheet for SOTE should be provided).

2. ¾” FNPT Threaded Coupling:
  - a. MOC – SS 316.
  - b. Length – 25 mm.
  - c. Class 150.

*(To be signed stamped & submitted along with the bid)*



**Limited Tender Enquiry No: BNPM/LTE/MECHANICAL SPARES/490/2018-19**

**Price Bid Format :**

S No	Description	Qty	UOM	Unit rate	Freight, P&F Charges	GST @ 18%	Unit rate including GST & Freight, P&F Charges	Grand total inclusive of GST and Freight, P&F Charges (D.A.P, BNPM, Mysore)
1	Supply of Disc Diffuser - 12"	20	Nos					
2	Supply of 3/4" FNPT threaded coupling	40	Nos					
<b>Total price inclusive of all tax, freight , P&amp;F charges</b>								

**HSN Codes:**

1. Disc Diffuser (.....)
2. 3/4" FNPT Threaded Coupling (.....)

**We hereby confirm that**

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, P&F, freight etc. on D.A.P, BNPM, Mysore basis.

Signature of bidder:.....

Name of the Firm:.....

Seal of the firm: .....

GST No: .....

