



बैंक नोट पेपर मिल इण्डिया प्रा. लिमिटेड

BANK NOTE PAPER MILL INDIA PVT LIMITED

JV of SPMCIL - A Govt. of India Enterprises & BRBNMPL - A Subsidiary of RBI

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

CIN: U21090KA2010PTC055475 | CORPORATE OFFICE, MYSORE

vaishnavi.shankar@bnpmindia.com

Ph: 0821 2401 175

Limited Tender Enquiry No: BNPM/LTE/Connector /661/2019-20

Issuing Date & Time: 07.10.2019 11:00 hrs.

Closing Date & Time: 14.10.2019 11:00 hrs.

1. Scope of work:

- i. Supply of 30A, 4 WAY BAKELITE SHT TYPE CONNECTOR, SURAJ MAKE-5 Nos.

Technical Specifications:

- 30 A 4 WAY BAKELITE SHT TYPE CONNECTOR
- Brand : SURAJ
- Product Name : 4 WAY BAKELITE SHT TYPE CONNECTOR
- Product Code: SURAJ SHT 4
- Rated Operational Current : 30 A
- Rated Operational Voltage : 500 V
- Temperature Range : -30oC to 75 oC
- Dielectric Strength: 2500 V rms between the conductors.
- Insulation Resistance : 20MW (Min) at 500 VDC
- Insulator : LD (LOW) - Low Density Plastic
- Connector: Brass with .0001" thick Nickel over it.
- Screw : Combination Head, over .0001" thick Zinc over Steel / Nickel Over Brass

S. No	Particulars	Quantity
1.	Payment Terms	100% within 30 days from date of receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price.
4.	Packing & Forwarding	Shall be included in quoted price.
5.	Delivery Terms	F.O.R – Bank Note Paper Mill India Private Limited, Mysore.



6.	Warranty Period from date of supply at BNPM, Mysuru.
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period weeks from date of receipt of purchase order.
9.	Validity of Bid	30 days from date of closing of tender.
10.	Material to be delivered at	Engineering Stores, Bank Note Paper Mill India Private Limited, Note Mudran Nagar, Mysore 570 003.
11.	Contact person	Ms. Vaishnavi Shankar P: 0821-2401175

30 A 4 WAY BAKELITE SHT TYPE CONNECTOR

Brand : SURAJ

Product Name : 4 WAY BAKELITE SHT TYPE CONNECTOR

Rated Operational Current : 30 A

Rated Operational Voltage : 500 V

Temperature Range : -30oC to 75 oC

Dielectric Strength : 2500 Vrms between the conductors.

Insulation Resistance : 20MW (Min) at 500 VDC

Insulator : LD (LOW) - Low Density Plastic

Connector : Brass with .0001" thick Nickel over it.

Screw : Combination Head, over .0001" thick Zinc over Steel / Nickel Over Brass



Price Bid Format :

S No	Description	Qty	UOM	Unit rate	Freight, P&F Charges	GST @ 18%	Unit rate including GST & Freight, P&F Charges	Grand total inclusive of GST and Freight, P&F Charges (F.O.R, BNPM, Mysore)
1	30A, 4 WAY BAKELITE SHT TYPE CONNECTOR, SURAJ MAKE As per Technical Specification	5	Nos.					
Total price inclusive of all tax, freight , P&F & any other charges								

HSN Code: (_____)

We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, P&F, freight etc. on F.O.R, BNPM, Mysore basis.

Signature of bidder:.....

Name of the Firm:.....

Seal of the firm:

GST No:

