

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED,
CIN: U21090KA2010PTC055475
CORPORATE OFFICE, MYSORE
0821-2401178
Email: Scmcommon@bnpmindia.com

ENQUIRY No: BNPM/ENQ/DOL Starters/370/2017-18

Star Date: 11.01.2018

Last Date: 15.01.2018

Extended upto: 17.01.2018

Closing Time: 1200HRS

1. Scope of work:

Supply of **DOL starters**

2. Terms & Conditions:

S. No.	Particulars	Quantity
1.	Payment Terms	100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier. <u>Warranty certificate (if applicable) and NEFT/RTGS details shall be furnished along with invoice.</u>
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price
4.	Packing & Forwarding	Shall be included in quoted price
5.	Delivery Terms	DAP, Bank Note Paper Mill India Private Limited, Mysore
6.	Warranty Period
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period
9.	Material to be delivered at	Engineering Stores Bank Note Paper Mill India Private Limited Note Mudran Nagar Mysore 570 003
10.	Contact person in Engineering Stores	Mr. Ashutosh Kumar 0821 2401 486 Mr. Sunil Kumar 0821 2401 485



3. Price Bid Format :

S. No.	Description	Qty.	UOM	Unit rate	Freight, P&F Charges	GST @	Unit rate including all taxes & charges	Grand total inclusive of all taxes and charges (DAP, BNPM, Mysore)
1	3 Phase, DOL starter enclosed type with IP 65/ 55 protection, coil supply: 380-460 Volt AC, Adjustable thermal overload relay, 4 pole, with no volt/ Under volt release, phase unbalance & phase missing protection. With start and stop push button in respective Green and Red colour. Make: L&T, Range 0.25-2 HP	01	Nos					
2	3 Phase, DOL starter enclosed type with IP 65/ 55 protection, coil supply: 380-460 Volt AC, Adjustable thermal overload relay, 4 pole, with no volt/ Under volt release, phase unbalance & phase missing protection. With start and stop push button in respective Green and Red colour. Make: L&T, Range 3-6 HP	01	Nos					
3	3 Phase, DOL starter enclosed type with IP 65/ 55 protection, coil supply: 380-460 Volt AC, Adjustable thermal overload relay, 4 pole, with no volt/ Under volt release, phase unbalance & phase missing protection. With start and stop push button in respective Green and Red colour. Make: L&T, Range 7.5 HP	01	Nos					
	Grand Total							
	Grand Total In Words							



We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, duties, P&F, freight etc. on DAP, BNPM, Mysore basis.

Signature of bidder:.....

Name of the Firm:.....

Seal of the firm:

