



बैंक नोट पेपर मिल इण्डिया प्रा. लिमिटेड
BANK NOTE PAPER MILL INDIA PVT LIMITED
JV of SPMCIL - A Govt. of India Enterprises & BRBNMPL - A Subsidiary of RBI

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED
CIN: U21090KA2010PTC055475 | CORPORATE OFFICE, MYSORE
vaishnavi.shankar@bnpmindia.com
Ph: 0821 2401 175

Limited Tender Enquiry No: BNPM/LTE /PU Caster Wheel/883/2019-20

Issuing Date & Time: 09.12.2019 11:00 hrs.
Closing Date & Time: 16.12.2019 11:00 hrs.

A. Scope of supply: Supply of following items:

S No	Item Description	UOM	Quantity
1	PU Caster Wheel Swivel Bracket with Brake <ul style="list-style-type: none">- Reliable high quality caster wheels with brakes for smooth movement of goods on shop floors.- Bracket Surface Finish: Corrosion Resistance- Works in span of temperature from -200°C to 850°C- Diameter of the wheel: 75 mm (Width: 20 mm)- POLYURETHANE Caster Wheel	Nos.	4

S. No	Particulars	Quantity
1.	Payment Terms	100% within 30 days from date of receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price.
4.	Packing & Forwarding	Shall be included in quoted price.
5.	Delivery Terms	F.O.R – Bank Note Paper Mill India Private Limited, Mysore.
6.	Warranty Period from date of supply at BNPM, Mysuru.
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period weeks from date of receipt of purchase order.
9.	Validity of Bid	30 days from date of closing of tender.



10.	Material to be delivered at	Engineering Stores, Bank Note Paper Mill India Private Limited, Note Mudran Nagar, Mysore 570 003.
11.	Contact person	Ms. Vaishnavi Shankar P: 0821-2401175

Price Bid Format :

S No	Description	Qty	UO M	Unit rate	Freight, P&F Charges	GST @ 18 %	Unit rate including GST & Freight, P&F Charges	Grand total inclusive of GST and Freight, P&F Charges (F.O.R, BNPM, Mysore)
1	PU Caster Wheel Swivel Bracket with Brake - Reliable high quality caster wheels with brakes for smooth movement of goods on shop floors. - Bracket Surface Finish: Corrosion Resistance - Works in span of temperature from -200°C to 850°C - Diameter of the wheel: 75 mm (Width: 20 mm) - POLYURETHANE Caster Wheel	4	Nos.					
<p align="center">Total price inclusive of all tax, freight , P&F & any other charges</p>								

HSN Code: (_____)

We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, P&F, freight etc. on F.O.R, BNPM, Mysore basis.

Signature of bidder:

Name of the Firm:

Seal of the firm:

GST No:

