

ENQUIRY No: BNPM/ENQ/SAND/363/2017-18

Start Date: 09.01.2018

Last date: 11.1.2018

Closing Time: 1500Hrs

1. Scope of Supply :

Supply of 10,000 Kgs of Quartz Sand

2. Terms & Conditions:

S. No.	Particulars	Quantity
1.	Payment Terms	100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.
2.	Price	Price should be inclusive of all taxes & other charges.
3.	Freight	Shall be included in quoted price
4.	Packing & Forwarding	Shall be included in quoted price
5.	Delivery Terms	DAP, Bank Note Paper Mill India Private Limited, Mysore
6.	Shelf Life	Not Applicable
7.	Warranty Certificate	Not Applicable
8.	Delivery Period
9	Quotation Submission mode	Through email on or before 08-01-2018. sivaraj@bnpmindia.com alokkumar@bnpmindia.com
10.	Material to be delivered at	Engineering Stores Bank Note Paper Mill India Private Limited Note Mudran Nagar Mysore 570 003
11.	Contact person in Engineering Stores	Mr. Ashutosh Kumar 0821 2401 486 Mr. Sunil Kumar 0821 2401 485



Technical specification for Quartz Sand

TECHNICAL SPECIFICATIONS FOR THE PROCUREMENT OF SAND (QUARTZSAND AND GRAVEL (DRIED) IN DRY FORM

Sr. No.	Parameters (DIN 66165)	Unit	Specification
1.	SiO ₂	%	96.9
2.	Al ₂ O ₃	%	1.6
3.	Fe ₂ O ₃	%	0.03
4.	TiO ₂	%	0.04
5.	CaO+MgO	%	0.05
6.	K ₂ O+Na ₂ O	%	1.1
7.	Loss on ignition	%	0.2
8.	Bulk Density (DIN 52110)	Kg/m ³	1500

Screen Analysis %

2.0 mm - 4 mm	45±5 %
1.4mm - 2.0 mm	54±5 %
< 1.4 mm	<1 %

Note: The sand shall predominantly be siliceous material which should resist degradation during handling and use. Specified corn size distribution should be achieved by screening and not by crushing. Crushed gravel or sand is not acceptable. Washed sand quality is required.

Rejection Criteria:

-Fines are defined for above size and quality of sand as particles passing through a 30 mesh screen. Contents of fines should not exceed 1.5% per weight, if it exceeds 1.5%, pro-rata deduction will be made.

- Sand must be washed three times by the supplier and every supply must accompany a certificate declaring three times washing of quartz sand.

9. Packing & Packing Standards

It is desired that the sand to be supplied in 20-25 kg good quality polyethylene bags

The packing material should be clean free from dust and other foreign material etc.

Each bag should be marked with indelible ink as Name of Supplier, Sr. No. of bag, Gross Tare weight, any other information which bidder wants to add and should invariably enclose individual bag wise weight list in duplicate with the documents to enable us to verify and process your bills and same should be followed for all supplies, failing which payment will be withheld.

Sample will be taken from one bag out of 25 bags randomly, for lab testing and checking of tare weight of packing material. Bidder should note that weight of packing material will be deducted from bill.



3. Price Bid Format :

S. No.	Description	HSN Code	Qty.	UOM	Unit rate per Kgs	Freight, P&F Charges (if any)	GST (Rs.)	Unit rate including all taxes & other charges	Grand total inclusive of all taxes and charges (DAP, BNPM, Mysore)
1	Quartz Sand		10,000	Kgs					
	Grand Total								
	Grand Total In Words								

We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, duties, P&F, freight etc. on DAP, BNPM, Mysore basis.

Signature of bidder:.....

Name of the Firm:.....

Seal of the firm:

