Email: <u>bhoodhar@bnpmindia.com</u>

Tel: 0821-2401-174

Limited tender Enquiry No: BNPM/LTE/ SENSOR/254/2018-19

Start Date: 02.07.2018

END Date: 06.07.2018

1. Scope of supply:

Supply of "diffuse mode sensor".

2. Terms & Conditions:

S. No.	Particulars	Quantity
1.	Payment Terms	100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier. NEFT/RTGS details shall be furnished along with invoice.
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price
4.	Packing & Forwarding	Shall be included in quoted price
5.	Delivery Terms	DAP, Bank Note Paper Mill India Private Limited, Mysore
6.	Warranty Period	(Please specify)
7.	Warranty Certificate	Applicable/ Not Applicable
8.	Delivery Period	(Please specify)
9.	Material to be delivered at	Engineering Stores Bank Note Paper Mill India Private Limited Note Mudran Nagar Mysore 570 003

Remarks: Quotation should send by mail to bhoodhar@bnpmindia.com.

Email: bhoodhar@bnpmindia.com

Tel: 0821-2401-174

3. Price Bid Format:

S.	Description	Qty.	UOM	Unit rate	GST @%	Total	Grand Total
No.		A	В	С	D	E=C+D	F=E*A
1	Diffuse mode sensor	1	NOS				
	Model No.RLK39-8-2000-Z/31/40a/116						
	Part No.88828						
	Make: Pepperl +Fuchs						
		Grand Total					
Cron	Frand Total In Words						

Grand Total In Words:

We hereby confirm that

- 1. We accept all terms & conditions mentioned in the enquiry.
- 2. Price quoted is inclusive of all taxes, P&F, freight etc. on DAP, BNPM, Mysore basis.
- 3. HSN Code:

Signature of bidder:
Name of the Firm:
Seal of the firm:
GST No:

Email: bhoodhar@bnpmindia.com
Tel: 0821-2401-174

ANNEXURE-1-SPECIFICATION

Limited tender Enquiry No: BNPM/LTE/ SENSOR/254/2018-19

Sr. No	Technical Specification	BNPM Requirements	Bidders offers	Deviation if any	Remakes
1.	Model No.	RLK39-8-2000- Z/31/40a/116			
2.	Make	Pepperl +Fuchs			
	Detection range	0 2000 mm			
	Adjust range	200 2000 mm			
	Reference target	Standard white 200mmx200m			
	Light Source	IRED			
	Light Type	Modulated infrared light			
	Ambient light limit	IEC/EN 60947-5-2, 10000 Lux			
	Function Indicator	LED Yellow: Switching stage			
		LED Red: pre fault indication			
	Operating voltage (U _B)	12240 V DC			
		24240 V AC (50 60Hz)			
	Switching type	Light/ Dark On			

Signature of bidder:.....