



Bank Note Paper Mill India Private Limited
Registered & Corporate office: Paper Mill Compound,
Entry Gate 1, Note Mudran Nagar,
Mysore-570003
CIN: U21090KA2010PTC055475.

Standard Biding Document (SBD)

Not Transferable

Tender Document for – **Supply of Pipes & Fittings on Annual Rate Contract.**

e-Tender No. BNPM/TEN(RC)/Pipes & Fittings/350/2017-18 Dated 02.01.2018

The Tender Document contains **59** Pages

The Tender Document is sold to

M/s
Address

Details of Contact person in BNPM regarding this tender

Name: Shri. Alok Kumar

Designation: Deputy General Manager

Address Administrative office Building,
Entry Gate 1, Paper Mill Compound,
Note Mudran Nagar,
Mysore – 570003, Karnataka, India
Phone 0821-2401 171
Email info@bnpmindia.com
Website: www.bnpmindia.com





CONTENTS – STANDARD BIDDING DOCUMENT

Section No	Section	Description
I.	BNPM/TEN(RC)/Pipes & Fittings/350/ 2017-18	Notice Inviting Tender (NIT)
II.	GIT	General Instructions to Tenderers
III.	SIT	Special Instructions to Tenderers
IV.	GCC	General Conditions of Contract
V.	SCC	Special Conditions of Contract
VI.	LOR	List of Requirements
VII.	TS	Technical Specifications
VIII.	QCR	Quality Control Requirements
IX.	QC	Qualifying/ Eligibility Criteria
X.	TF	Tender Form/ Acceptance of Terms & Conditions
XI.	PS	Price Schedule
XII.	QUEST	Questionnaire
XIII.	BG-EMD	Bank Guarantee Form for EMD – Not Applicable
XIV.	MAF	Manufacturer’s Authorization Form
XV.	BG-PS	Bank Guarantee Form for Performance Security
XVI.	CF	Not Applicable
XVII.	LOA	Letter of Authority for attending Bid Opening
XVIII.	SA	Shipping Arrangements for Liner Cargoes – Not Applicable
XIX.	PBP	Not Applicable
XX.	APQ	Application-Pre-Qualification
XXI.	ACW	Additional Conditions of Works Contract – Not Applicable
XXII.	IP	Proforma for Integrity Pact - Not Applicable



NIT	BANK NOTE PAPER MILL INDIA PRIVATE LIMITED	SECTION: I
	NOTICE INVITING TENDER	SHEET 1 OF 3

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

Paper Mill Compound, Note Mudran Nagar
Mysore-570003

Tele: 0821-2401 171; Fax No: 0821-2581 154

Email alokkumar@bnpmindia.com, website: www.bnpmindia.com

(Name, address, telephone no., Fax, e-mail, website etc. of the Unit)

Tender No. BNPM/TEN (RC)/Pipes & Fittings /350/2017-18 Dated 02.01.2018

1. Sealed tenders are invited in two parts (Techno-commercial & Financial) from eligible and qualified tenderers for supply of following Goods on Annual Rate Contract:

S.No	Brief Description of Goods/ Services	Qty With units	Earnest Money Deposit
1	Supply of Pipes & Fittings on Annual Rate Contract.(as per list of requirement)	Indiative List of Items required annually is furnished in Section VI	NOT APPLICABLE

Tender Number	Tender No. BNPM/TEN(RC)/Pipes & Fittings / 350/2017-18 Dated 02.01.2018
Type of Tender (Two Bid/PQB/EOI Etc.)	Two Bid
Tender fee	Rs 3000/- +Taxes
Details of Sales of Tender document	E- Tender
Bid Submission Mode	Through e-tendering portal www.tenderwizard.com/BNP
Closing date and time for submission of bids along with supporting documents through e-tendering portal.	24.01.2018 1400 hours.

2. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website www.tenderwizard.com/BNP mentioned above for further details.
3. Non-refundable Tender fee is Rs. 3,000/- per set plus applicable taxes. The payment shall be made through Electronic mode only.



NIT	BANK NOTE PAPER MILL INDIA PRIVATE LIMITED	SECTION: I
	NOTICE INVITING TENDER	SHEET 2 OF 3

4. Aspiring Bidders/Contractors who have not registered in e-tendering should register through the website E - Tendering (www.tenderwizard.com/ BNP) for participating in the Online Tenders. The registration charges will be Rs. 3,000/- plus applicable taxes (per year) which needs to be paid through electronic mode only.
5. For details, registration and e-payment, please visit e-tendering website www.tenderwizard.com/BNP or contact e-tendering Helpdesk at 080-49352000 / Mr. Nagesh: 09686115324.
6. The NIT Form with standard tender documents will be accessible in the e-Tendering website (viz www.tenderwizard.com/BNP).
7. Class III Digital Signature Certificate (DSC) is mandatory to participate in e-Tenders. Participating bidders/Contractors have to make sure that they have the valid DSC. If not, they can procure from any of the RAs approved by CCA.
8. Bidders/Contractors should upload and attach all the Scanned copies of technical documents / certificates in e-tendering website www.tenderwizard.com/BNP pertaining to their eligibility criteria mentioned in the NIT, failing which, the bid will not be considered.
9. For those tenderers whose technical bids do not satisfy the eligibility criteria, their financial Bids will not be opened.
10. The tender shall contain two bid systems each of whose contents shall be as follows.

Prequalification Bid & Techno-commercial Bid should consist of clearly visible scanned copy of:

- i) Bid forwarding letter.
- ii) Power of Attorney in favour of the person who has signed the bid on stamp paper of Rs.100/- (non-judicial)
- iii) Documents to establish conformity with Bidder's Qualification / Eligibility criteria.
- iv) PAN details and GST registration certificate,
- v) Earnest Money Deposit (To be paid through electronic mode only)
- vi) Deviations from GCC, SCC, SIT, GIT
- vii) Schedule of deviations to technical specifications separately
- viii) Technical details / documents specified in technical part
- ix) Blank copy (Without price) of Schedule of price duly signed & stamped on each page

The bidder should submit the "Prequalification Bid & Techno-Commercial bid" in e-tendering portal.

Financial Bid shall contain.

- i) Schedule of Prices duly filled in.



NIT	BANK NOTE PAPER MILL INDIA PRIVATE LIMITED	SECTION: I
	NOTICE INVITING TENDER	SHEET 3 OF 3

The bidder should submit the- "Financial Bid" in e-tendering portal.

11. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, should be uploaded in e-tendering portal (www.tenderwizard.com/BNP) only.
12. In the event of any of the above mentioned dates being declared as a holiday / closed day for the purchase organisation, the tenders will be sold / received / opened on the next working day at the appointed time.
13. The tender documents are not transferable.

Yours Faithfully,

(Alok Kumar)
Deputy General Manager



GIT

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: II

GENERAL INSTRUCTIONS TO TENDERERS

SHEET 1 OF 1

Section II: General Instructions to Tenderers (GIT)

This section-II shall be downloaded from website: www.bnpmindia.com under the section "Procurements -> Downloads" and signed & stamped and submitted along with the Techno-Commercial Bid –Part II as acceptance of terms and conditions. ***(Offer without the copies of section-II shall liable to be rejected).***



The following Special Instructions to Tenderers will apply for this tender. These special instructions will modify/substitute/supplement the corresponding General Instructions to Tenderers (GIT) incorporated in tender. The corresponding GIT clause numbers have also been indicated in the text below: In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

SI No	GIT Clause No	Topic	Substitution / Replaced by
1.	12.5 and 12.6	Tender Prices	1.0
2.	35.0	Evaluation Criteria	4.0

1. TENDER PRICES:

Tenderer shall quote strictly in INR and as per the attached price schedule.

Prices quoted shall be DAP Mysore site basis inclusive of Packing & Forwarding charges, freight, octroi, transit insurance and all other charges if applicable.

2. EVALUATION CRITERIA:

(i) Techno-commercial bid / Pre Qualification bid shall be opened together and however, the Techno-commercial bid of pre-qualified bidder who meets the eligibility criteria shall be scrutinised and evaluated by the competent committee/ authority with reference to the parameters prescribed in the tender document. Subsequently, in the second stage the financial bids of only technically acceptable offers as decided in first stage shall be opened for further scrutiny and evaluation. Intimation regarding opening of financial bids shall be given to acceptable tenderers to enable them to attend the financial bid opening, if they so desire.

(ii) Evaluation shall be carried out on Schedule (Item) wise L1 price

4. Corrigendum/ Addendum, if any, shall be hosted on Company's website (www.bnpmindia.com) only.
5. The Company discourages the engagement of agents for brokering contracts and hence intending bidders are requested to take note of the above that engagement of agents for brokering contracts may result in dis-qualification.
6. This contract shall be a Rate Contract and the following rules/ clauses apply:
 - 6.1 There is no commitment for quantities of the Schedule of Requirement.
 - 6.2 BNPMIPL reserves the right to conclude more than one rate contract for the same item.
 - 6.3 The Rate Contract will be valid for a period of 01 (one) year

6.4 During the currency of the Rate Contract, BNPMIPL may withdraw the rate contract by serving suitable notice. The prescribed notice period is generally thirty days.

6.5 During the currency of the Rate Contract, BNPMIPL would have the option to renegotiate the price with the rate contract holders.

6.6 During the currency of the Rate Contract, in case of emergency, BNPMIPL may purchase the same item through ad hoc contract with a new supplier.

6.7 BNPMIPL is entitled to place supply orders up to the last day of the validity of the rate contract and, though supplies against such supply orders will be affected beyond the validity period of the rate contract, all such supply will be guided by the terms & conditions of the rate contract.

7. Fall Clause:-

If the rate contract holder reduces its price or sells or even offers to sell the rate contracted goods, following conditions of sale similar to those of the rate contract, at a price lower than the rate contract price, to any person or organization during the currency of the rate contract, the rate contract price will be automatically reduced with effect from that date for all the subsequent supplies under the rate contract and the rate contract amended accordingly. Any violation of the fall clause would be considered a serious misdemeanour under clause 44 of the GIT and action, as appropriate, would be taken as per provision of that clause.

Following clauses in GIT are not applicable.

Sl No	GIT Clause No	Topic	Substitution / Replaced by
1.	8.0	Pre-Bid Meeting	Not Applicable
2.	12.3 & 12.6	Tender Prices	Not Applicable
3.	13	Indian Agent	Not Applicable
4.	14.3, 14.4, 14.5, 14.6, 14.7	Firm Price/Variable Price	Not Applicable
5.	32	Conversion of tender currencies to Indian rupees	Not Applicable
6.	53	Expression of Interest (EOI) Tenders	Not Applicable
7.	54	Tenders for Disposal of Scrap	Not Applicable
8.	55	Development and indigenization Tenders	Not Applicable

Section IV: General Conditions of Contract (GCC)

This section-IV shall be downloaded from website: www.bnpmindia.com under the section "Procurements -> Downloads" and signed & stamped and submitted along with the Techno-Commercial Bid –Part IV as acceptance of terms and conditions. ***(Offer without the copies of section-IV shall liable to be rejected)***



The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/substitute/supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

SI No	GCC Clause No	Topic	Substitution/ Replaced by
1	10	Terms of Delivery	1
2	22, 22.1, 22.2, 22.3, 22.4, 22.6	Terms and Mode of Payments	2

Following clauses in GCC are not applicable

3	11.3	Transportation of Goods	Not Applicable
4	13	Spare Parts	Not Applicable
5	36	Integrity Pact	Not Applicable

1. Delivery Period:

(i) Delivery shall be made as and when required within 4 weeks on receipt of delivery schedule.

(ii) It is responsibility of the supplier to arrange transportation and supply the material on DAP, BNPM, Mysore. BNPMIPL requires material on **DAP, BNPM, Note Mudran Nagar, Mysore basis only**. The quoted price should be inclusive of Transit Insurance.

2. Terms and Mode of Payments

(i) 100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.

Payments to suppliers shall be made by account payee cheque or through ECS in INR only.

3. Security Deposit:-

10% of contract value shall be submitted as security deposit within 21 days of issue of Purchase order. The above security deposit will be released on satisfactory completion of all contractual obligations by the supplier. The above amount shall not bear any



interest. Security Deposit may also be submitted in the form of Bank Guarantee in lieu of retention of payment, valid till completion of all contractual obligations by the supplier including the warranty obligations (if applicable) and with the claim period of 60 days thereafter.

Payment of CGST, SGST, IGST & UTGST related clause:

The suppliers are required to adhere the following procedure in order to honour the payment against CGST, SGST, IGST & UTGST in the invoice:

- i. An invoice issued by the supplier of goods or services or both should be in accordance with the provisions of section 31 of the CGST Act and should contain all the prescribed informations in accordance with Chapter VI of CGST Rules, 2017;
- ii. A debit note issued if any, by a supplier should be in accordance with the provisions of section 34 of the CGST Act;
- iii. The supplier should mandatorily upload the aforementioned documents in GSTR -1, details of outward supplies of goods or services within the prescribed time under GST Act;
- iv. The supplier should provide the relevant documents to confirm the tax charged on the invoice has been paid to the credit of government after adjusting with ITC if any.

Notwithstanding above, the supplier should provide indemnification as follows:

“In the event of non-compliances with respect to GST Act and Rules by the supplier, the purchaser is allowed to adjust the GST amount from retention amount (either in BG or in Cash) held by the company. If no amount is available for recovery, the supplier will refund the GST liability within 10 days from the date of GST reversal in GSTRN”

The above requirements are mandatory to claim any GST liability, failing which, the GST liability will not be paid/reimbursed/accepted.

4. Delay in supplier’s performance

(i) Delivery Period:

In the event of an order, you shall be in position to start supplies within short notice and dispatches are to be effected as per delivery schedule given by BNPM from time to time.

(ii) Delay or Non Delivery:

Time is essence of the contract and completion of delivery dates agreed to are binding on the seller. In the event the seller is not able to supply as per the delivery schedules given by BNPM, Purchaser will have a right either to cancel the order without prejudice to any other rights or to make purchase from an alternate source at the risk and cost of the seller.

In case of rejection and failure of replace goods, the order will be treated as incomplete and we may cancel the order and will arrange to purchase the goods from elsewhere at Bidder’s risk and cost and the purchase order/LOI on vendor shall be cancelled and action taken as per the order terms



5. Vendor Performance:-

Vendor shall be evaluated for their performance. The performance shall be based on timeliness of deliveries, quality of the material supplied, technical support, quality of after-sales service if any, replacement of the defective material if any, responsiveness etc.

Based on the above criteria, the vendor shall be rated in category "A", "B" & "C". The vendor with rating "C" shall be disqualified/debarred from participating in the tender for certain period.

6. Price:

Bidder should quote the price taking into consideration of taxes & Supplier shall be entirely responsible for all taxes, duties, fees, levies, GST etc. incurred until delivery of the contracted goods to BNPM.

7. Risk Purchase Clause:

If the Seller fails to abide by the terms and conditions of this agreement, or fails to supply the material as per the delivery schedule or any time repudiates the contract, the purchaser will have the right to

- a) Appropriate the Security Deposit (by invoking the Bank guarantee) deposited by the seller as per clause 6.0 of GCC and procure the tender item from other agencies at the risk and cost of the seller
- b) The cost difference between the alternative arrangement and seller's tendered value will be recovered from the seller along with the other incidental charges.

In case of procurement through alternative sources, and if procurement price is lower, no benefit on this account will be passed on to the seller.

8. Fore-Closure Clause:

If at any time during the continuation of this contract, the use of material ordered in this contract is completely banned or due to drastic change in Government policy its use as, raw material is discontinued or is declared hazardous to public health or cause rising to civil commotion, epidemics, wide-spread strikes and 21 days notice of such eventualities is given by purchaser to the seller, the seller without any right to enforce the contract, will agree to the fore-close the performance of balance portion of this contract and in that event no claim for damages or loss will be lodged against the purchaser.

- 9. Materials not meeting our specification will be rejected outright and the rejected material shall be taken back within 7 days at the cost and risk of the supplier and replacement should be made within 7 days from the date of intimation. No payment shall be made for rejected item. If the material is not taken back within the stipulate period, BNPM reserves the right to dispose off the material at the risk and expense of the vendor as per provision under Section IV: General conditions of contract.



List of Requirements

Tender No: BNPM/TEN(RC)/Pipes & Fittings/350/ 2017-18, dated: 02.01.2018

Tender Fees: Rs. 3000/- + taxes

Earnest Money Deposit: NIL

Schedule No.	Item Description	UOM	Approximate Qty
1	Sch 80 CPVC Endcap 250 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
2	Sch 80 CPVC Endcap 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
3	Sch 80 CPVC Endcap 150 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
4	Sch 80 CPVC Endcap 100 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
5	Sch 80 CPVC Endcap 80 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
6	Sch 80 CPVC Endcap 65 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
7	Sch 80 CPVC Endcap 50 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439	Nos	2

8	Sch 80 CPVC Endcap 32 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
9	Sch 80 CPVC Endcap 25 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
10	Sch 80 CPVC Endcap 15 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	2
11	Sch 80 CPVC Pipe 250 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	18
12	Sch 80 CPVC Pipe 200 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	18
13	Sch 80 CPVC Pipe 150 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	24
14	Sch 80 CPVC Pipe 100 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	36
15	Sch 80 CPVC Pipe 80 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	48
16	Sch 80 CPVC Pipe 65 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	12

17	Sch 80 CPVC Pipe 50 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	48
18	Sch 80 CPVC Pipe 32 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	18
19	Sch 80 CPVC Pipe 25 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	18
20	Sch 80 CPVC Pipe 15 NB Pipes shall meet or exceed the requirements of ASTM F441 Make: Astral Chempro/ Any approved make	Mtrs	18
21	Sch 80 CPVC 90° Elbow 250 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	9
22	Sch 80 CPVC Tee 250 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	4
23	Sch 80 CPVC Flange 250 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	16
24	Sch 80 CPVC Concentric Reducer 250 x 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos	1

25	<p>Sch 80 CPVC Flange 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	15
26	<p>Sch 80 CPVC Tee 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	6
27	<p>Sch 80 CPVC 90° Elbow 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	20
28	<p>Sch 80 CPVC 45° Elbow 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	2
29	<p>Sch 80 CPVC Coupler 200 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	20
30	<p>Sch 80 CPVC Concentric Reducer 200 x 150 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	2
31	<p>Sch 80 CPVC Concentric Reducer 200 x 100 NB Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos	1

32	Sch 80 CPVC 200 x 150 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
33	Sch 80 CPVC 200 x 25 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
34	Sch 80 CPVC 200 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
35	Sch 80 CPVC 150 NB 90° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	20
36	Sch 80 CPVC 150 NB 45° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	2
37	Sch 80 CPVC 150 NB Coupling Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	10
38	Sch 80 CPVC 150 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	30
39	Sch 80 CPVC 150 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	4

40	<p>Sch 80 CPVC 150 x 100 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	4
41	<p>Sch 80 CPVC 150 x 80 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
42	<p>Sch 80 CPVC 150 x 80 NB Ecc. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
43	<p>Sch 80 CPVC 150 x 65 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	1
44	<p>Sch 80 CPVC 150 x 100 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
45	<p>Sch 80 CPVC 150 x 80 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	4
46	<p>Sch 80 CPVC 150 x 50 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	4

47	Sch 80 CPVC 150 x 40 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	1
48	Sch 80 CPVC 150 x 32 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
49	Sch 80 CPVC 150 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
50	Sch 80 CPVC 100 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	20
51	Sch 80 CPVC 100 NB 90° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	20
52	Sch 80 CPVC 100 NB 45° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	2
53	Sch 80 CPVC100 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	30
54	Sch 80 CPVC 100 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	6

55	Sch 80 CPVC 100 x 80 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	1
56	Sch 80 CPVC 100 x 25 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	1
57	Sch 80 CPVC 100 x 32 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	1
58	Sch 80 CPVC 100 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
59	Sch 80 CPVC 100 x 80 Con. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
60	Sch 80 CPVC 100 x 80 Ecc. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
61	Sch 80 CPVC 100 x 65 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2

62	<p>Sch 80 CPVC 100 x 50 Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
63	<p>Sch 80 CPVC 100 x 50 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
64	<p>Sch 80 CPVC 80 NB 90°Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	40
65	<p>Sch 80 CPVC 80 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	40
66	<p>Sch 80 CPVC 80 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	10
67	<p>Sch 80 CPVC 80 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	20
68	<p>Sch 80 CPVC 80 NB Union Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	1

69	Sch 80 CPVC 80 NB 45°Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
70	Sch 80 CPVC 80 x 65 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
71	Sch 80 CPVC 80 x 50 NB Con. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
72	Sch 80 CPVC 80 x 50 NB Ecc. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
73	Sch 80 CPVC 80 x 65 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	1
74	Sch 80 CPVC 80 x 50 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
75	Sch 80 CPVC 80 x 32 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2

76	Sch 80 CPVC 80 x 25 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
77	Sch 80 CPVC 80 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	6
78	Sch 80 CPVC 65 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	3
79	Sch 80 CPVC 65 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	15
80	Sch 80 CPVC 65 NB 90°Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	10
81	Sch 80 CPVC 65 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	8
82	Sch 80 CPVC 65 x 40 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	1
83	Sch 80 CPVC 65 x 32 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	1

84	Sch 80 CPVC 65 x 25 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
85	Sch 80 CPVC 65 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
86	Sch 80 CPVC 50 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	15
87	Sch 80 CPVC 50 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	8
88	Sch 80 CPVC 50 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	5
89	Sch 80 CPVC 50 NB Union Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	2
90	Sch 80 CPVC 50 NB 90°Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	10
91	Sch 80 CPVC 50 x 32 Con. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	2

92	Sch 80 CPVC 50 x 32 Ecc Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
93	Sch 80 CPVC 50 x 25 Con. Reducer Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	2
94	Sch 80 CPVC 50 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	4
95	Sch 80 CPVC 32 NB 90° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make	Nos.	6
96	Sch 80 CPVC 32 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	4
97	Sch 80 CPVC 32 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	2
98	Sch 80 CPVC 32 NB Union Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	4
99	Sch 80 CPVC 32 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439; Make: Astral Chempro/ Any approved make	Nos.	2

100	<p>Sch 80 CPVC 32 x 25 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
101	<p>Sch 80 CPVC 32 x 15 NB Reducer Concentric Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
102	<p>Sch 80 CPVC 25 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	20
103	<p>Sch 80 CPVC 25 NB 90° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	20
104	<p>Sch 80 CPVC 25 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	14
105	<p>Sch 80 CPVC 25 x 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	2
106	<p>Sch 80 CPVC 25 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	20

107	<p>Sch 80 CPVC 25 NB Union Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	10
108	<p>Sch 80 CPVC 15 NB 90° Elbow Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	25
109	<p>Sch 80 CPVC 15 NB Tee Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	20
110	<p>Sch 80 CPVC 15 NB Coupler Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	30
111	<p>Sch 80 CPVC 15 NB Flange Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	12
112	<p>Sch 80 CPVC 15 NB Union Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	10
113	<p>Sch 80 CPVC 15 NB Tank Nipple Material should be socket type and shall meet or exceed the requirements of ASTM F439 Make: Astral Chempro/ Any approved make</p>	Nos.	20

114	Solvent Cement for CPVC pipes and fittings (946ml) Material shall meet or exceed requirements as per ASTM F493 Make: Weld-on, Spears, Georg Fischer / Any approved make	Nos.	80
115	Primers for CPVC pipes and fittings (946ml) Material shall meet or exceed requirement as per ASTM F656 Make: Weld-on, Spears, Georg Fischer / Any approved make	Nos.	40
116	250 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever Handle. Make: Spears, Georg Fischer/ Any approved make	Nos.	5
117	200 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever Handle. Make: Spears, Georg Fischer/ Any approved make	Nos.	8
118	150 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever Handle. Make: Spears, Georg Fischer/ Any approved make	Nos.	10
119	100 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever Handle. Make: Spears, Georg Fischer/ Any approved make	Nos.	10
120	80 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever Handle. Make: Spears, Georg Fischer/ Any approved make	Nos.	12
121	65 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever	Nos.	6

	Handle. Make: Spears, Georg Fischer/ Any approved make		
122	50 NB CPVC Butterfly Valve pressure rating: 150psi; ASME B 16.5 Class 150 bolt pattern; Operation: Lever Handle. Make: Spears, Georg Fischer/ Any approved make	Nos.	6
123	50 NB CPVC Ball valve pressure rating: 235psi, schedule 80; End connection: socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	6
124	32 NB CPVC Ball Valve pressure rating: 235psi, schedule 80; End connection: socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	12
125	25 NB CPVC Ball Valve pressure rating: 235psi, schedule 80; End connection: socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	10
126	32 NB Y type Strainer CPVC End Connection: SR thread (NPT) Schedule 80; Pressure rating 150psi; Sieve Opening: 0.094in Make: Spears, Georg Fischer/ Any approved make	Nos.	2
127	25 NB Y type Strainer CPVC End Connection: SR thread (NPT) Schedule 80; Pressure rating 150psi; Sieve Opening: 0.094in Make: Spears, Georg Fischer/ Any approved make	Nos.	10
128	15 NB Y type strainer CPVC End Connection: SR thread (NPT) Schedule 80; Pressure rating 150psi; Sieve Opening: 0.094in ; Make: Spears, Georg Fischer/ Any approved make	Nos.	10
129	80 NB Wafer Check valve PVDF EPDM seal with Hastelloy- C spring Make: Spears, Georg Fischer/ Any approved make	Nos.	4

130	100 NB Wafer Check valve PVDF EPDM seal with Hastelloy- C spring Make: Spears, Georg Fischer/ Any approved make	Nos.	4
131	150 NB Wafer Check valve PVDF EPDM seal with Hastelloy- C spring Make: Spears, Georg Fischer/ Any approved make	Nos.	6
132	200 NB Wafer Check valve PVDF EPDM seal with Hastelloy- C spring Make: Spears, Georg Fischer/ Any approved make	Nos.	2
133	50 NB Wafer Check valve PVDF EPDM seal with Hastelloy- C spring Make: Spears, Georg Fischer/ Any approved make	Nos.	2
134	65 NB Wafer Check valve PVDF EPDM seal with Hastelloy- C spring Make: Spears, Georg Fischer/ Any approved make	Nos.	2
135	15 NB Ball Check valve CPVC pressure rating: 150psi, schedule 80; End connection : Socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	10
136	25 NB Ball Check valve CPVC pressure rating: 150psi, schedule 80; End connection : Socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	6
137	32 NB Ball Check valve CPVC pressure rating: 150psi, schedule 80; End connection : Socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	2
138	100 NB Ball Check valve CPVC pressure rating: 150psi, schedule 80; End connection : Socket type Make: Spears, Georg Fischer/ Any approved make	Nos.	3
139	25 NB Ball Check valve CPVC End connection: flanged, ASTM B 16.5 Class 150 bolt pattern; Pressure Rating: 235psi. Make: Spears, Georg Fischer/ Any approved	Nos.	5

	make		
140	15 NB Ball Check valve CPVC End connection: flanged, ASTM B 16.5 Class 150 bolt pattern; Pressure Rating: 235psi. Make: Spears, Georg Fischer/ Any approved make	Nos.	5
141	250 x 25 NB CPVC Saddle - Socket single outlet pressure rating: 150psi Make: Spears, Georg Fischer/ Any approved make	Nos.	4
142	250 x 15 NB CPVC Saddle - Socket single outlet pressure rating: 150psi Make: Spears, Georg Fischer/ Any approved make	Nos.	4
143	200 x 50 NB CPVC Saddle - Socket single outlet pressure rating: 150psi Make: Spears, Georg Fischer/ Any approved make	Nos.	4
144	200 x 25 NB CPVC Saddle - Socket single outlet pressure rating: 150psi Make: Spears, Georg Fischer/ Any approved make	Nos.	4
145	200 x 15 NB CPVC Saddle - Socket single outlet pressure rating: 150 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	4
146	150 x 15 NB CPVC Saddle - Socket single outlet pressure rating: 200 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	6
147	150 x 25 NB CPVC Saddle - Socket single outlet pressure rating: 200 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	4
148	150 x 32 NB CPVC Saddle - Socket single outlet pressure rating: 200 psi	Nos.	3

	Make: Spears, Georg Fischer/ Any approved make		
149	100 x 25 NB CPVC Saddle - Socket single outlet pressure rating: 200 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	6
150	100 x 15 NB CPVC Saddle - Socket single outlet pressure rating: 200 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	6
151	80 x 25 NB CPVC Saddle - Socket single outlet pressure rating: 235 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	6
152	80 x 15 NB CPVC Saddle - Socket single outlet pressure rating: 235 psi Make: Spears, Georg Fischer/ Any approved make	Nos.	6

Place of Delivery:

Engineering Stores

Bank Note Paper Mill India Private Limited

Note Mudran Nagar

Mysore-570003



TS

BANK NOTE PAPER MILL PRIVATE LIMITED

SECTION: VII

TECHNICAL SPECIFICATIONS

SHEET 1 OF 1

Technical Specifications as per Section VI.



As mentioned in the Specification in Section VI of this tender.

(To be signed & stamped and submitted along with Techno-commercial Bid Part –I)



The pre-qualification criteria for the same are given as under:

Manufacturer/ authorised distributor/ Individual/ firm/ company/ corporate other than limited company intending to bid should be bonafide, experienced, technically competent, resourceful and financially sound to carry out the assigned order.

The bidder should be:-

- a) Registered under GST.
- b) Having valid permanent Income Tax A/c No. as allotted by the Income Tax Authority of Government of India.
- c) Not blacklisted/ debarred by BNPM/ Bharatiya Reserve Bank Note Mudran (P) Limited (BRBNMPL) / Security Printing & Minting Corporation of India Limited (SPMCIL) or any Govt. Departments and
- d) **The detailed qualifying criteria are furnished below:**

Experience & Past Performance	Bidder must have Supplied similar kind of Items during the last 5 years period ending 31.12.2017. Documentary proof for the same shall be enclosed in the offer.
Financial Standing	Average annual turnover of the bidder firm during last three years period ending 31-03-2017 should be more than Rs.20,00,000/- (Rupees Twenty lakhs only).
	Bidder Firms should not have suffered any financial loss for more than one year during the last three years period ending 31.03.2017.
	The net worth of the firm should not be in negative and should have not eroded by more than 30% in the last three years period ending 31.03.2017.

Note: In case of non-availability of audited balance sheet for the financial year 2016-17. A provisional balance sheet and Profit / (loss) statement for the financial year 2016-17 duly signed by competent authority shall be submitted.

(Bidder shall qualify all the i.e. technical, financial and other pre-qualification criteria)

Note -1:

All experience, past performance and capacity/ capability related/ data should be certified by the authorised signatory of the bidder firm. The credentials regarding experience and past performance to the extent required as per eligibility criteria submitted by bidder may be verified from the parties for whom work has been done.

Scanned Documents to be uploaded in support of Pre-qualification Criteria

The following documents should be submitted by the firm to prove the pre-qualification criteria.

- a) Company's Profile including details along with copy of following documents:
 - a) Certificate of Incorporation/ Registration

- b) Constitution of business, in case of business in individual name
 - c) Partnership deed , in case of partnership
 - d) Memorandum of Association and Articles of Association, in case of Limited company
 - e) Memorandum of Association by corporate other than Limited company
- b) In support of technical standing copy of purchase order/work order/agreement and/ or work completion certificate issued by competent authority of the customer duly certified by authorised signatory.
- c) In support of financial standing copies of audited balance sheets and Profit & Loss account should be certified by authorised signatory. In case of unaudited balance sheet, same should be certified by certified accountant's e.g. Chartered Accounts (CA) in India and Certified Public Accountant/ Chartered Accountants of other countries.
- d) Declaration that the firm has not been blacklisted/ debarred by BNPMIPL/ BRBNMPL /SPMCIL or any Govt. Departments duly signed by authorised signatory. (Annexure I)
- e) Declaration towards acceptance to terms & conditions of tender (Annexure II)
- f) Compliance Format (Annexure III)
- g) Copies of PAN and GST Certificates etc. to be submitted along with the bid.
- h) Format for the annexures indicated in the preceding paragraphs are available in section XX which the bidder may refer to.
- i) Any other relevant document the firm wishes to submit

Bidder to furnish stipulated documents in support of qualifying criteria. Non-submission or incomplete submission of documents may lead to rejection of offer.

TF

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: X

(ACCEPTANCE OF TERMS & CONDITIONS)

SHEET 1 OF 1

To

Date _____

Bank Note Paper Mill India Private Limited
Administrative Building, Entry Gate 1,
Paper Mill Compound,
Note Mudran Nagar,
Mysore - 570003

Ref: Your Tender document No.....dated.....

We, the undersigned have examined the above mentioned tender enquiry document, including amendment No. -----, dated ----- (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver..... (description of goods and services) in conformity with your above referred document for the sum as shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V- "Special Conditions of Contract", for due performance of the contract.

We agree to keep our tender valid for acceptance for a period up to -----, as required in the GIT clause 19, read with modification, if any in Section-III -"Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

(Signature with date)

(Name and designation)

Duly authorized to sign tender for and on behalf of

Bidder shall use this covering letter while submitting the offer



SP

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XI

SCHEDULE OF PRICE

SHEET 1 OF 1

Prices are to be quoted in the price bid format given in the e-tender website (www.tenderwizard.com/BNP)



QUEST**BANK NOTE PAPER MILL INDIA PRIVATE LIMITED**

SECTION: XII

QUESTIONNAIRE

SHEET 1 OF 1

The tenderer should furnish specific answers to all the questions/ issues mentioned below. In case a question/ issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or evasive answer against any of the under mentioned question// issues, its tender will be liable to be ignored.

1. Brief description of goods and services offered:
2. Offer is valid for acceptance up to
3. Your permanent income tax A/c no. as allotted by the Income Tax Authority of Government of India
(Please attach certified copy of your latest/ current Income Tax clearance certificate issued by the above authority)
4. Status:
 - a) Are you currently registered with the Directorate General of Supplies & Disposals (DGS&D), New Delhi, and/ or the present BNPMIPL and/ or the Directorate of Industries of the concerned State Government for the goods quoted? If so, indicate the date upto which you are registered and whether there is any monetary limit imposed on your registration.
 - b) Are you currently registered under the Indian Companies Act, 1956 or any other similar Act?
(Please attach certified copy (s) of your registration status etc. in case your answer (s) to above queries is in affirmative.
5. Please indicate name & full address of our Banker(s)
6. Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Dept of Government of India or by any State Govt.

.....

.....

(Signature with date)

(Full name, Designation & address of the person duly authorised sign on behalf of the tenderer)

For and on behalf of

.....

.....

(Name, address and stamp of the tendering firm)

ISSUE
R0

**BG-
EMD**

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XIII

BANK GUARANTEE FORM FOR EMD

SHEET 1 OF 1

NOT APPLICABLE



MAF

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XIV

MANUFACTURER'S AUTHORIZATION FORM

SHEET 1 OF 1

NOT APPLICABLE



BG-PS

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XV

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

SHEET 1 OF 2

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

..... (Insert: Bank's Name, and Address of Issuing Branch or Office)

Beneficiary:

Bank Note Paper Mill India Private Limited
Administrative Building, Entry Gate 1,
Paper Mill Compound, Note Mudran Nagar,
Mysore - 570003

Date:.....

Performance Guarantee No.:

WHEREAS.....(name and address of the supplier) (hereinafter called "the supplier") has undertaken, in pursuance of LOI (Letter of Intent) no..... dated to supply (description of goods and services) (herein after called "the contract").

AND WHEREAS it has been stipulated by you in the said LOI that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the LOI;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of (amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand. We further agree that no change or addition to or other modification of the terms of the contract to be performed thereunder or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

We undertake to pay Bank Note Paper Mill India Private Limited up to the above amount upon receipt of its first written demand, without Bank Note Paper Mill India Private Limited having to substantiate its demand.

This guarantee will remain in force for a period of sixty days after the currency of this contract and any demand in respect thereof should reach the Bank not later than the



BG-PS

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XV

**BANK GUARANTEE FORM FOR PERFORMANCE
SECURITY**

SHEET 2 OF 2

above date.

.....

(Signature of the authorized officer of the Bank)

Name, authorisation/ signature no. and designation of the officer

Seal, name & address of the Bank and address of the Branch



CF

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XVI

CONTRACT FORM

SHEET 1 OF 1

NOT APPLICABLE



	BANK NOTE PAPER MILL INDIA PRIVATE LIMITED	SECTION: XVII
LOA	LETTER OF AUTHORITY FOR ATTENDING A BID OPENING	SHEET 1 OF 1

NOT APPLICABLE



SA

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION: XVIII

SHIPPING ARRANGEMENTS FOR LINER CARGOES

SHEET 1 OF 1

NOT APPLICABLE



PB

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED

SECTION:XIX

PROFORMA OF BILLS FOR PAYMENTS

SHEET 1 OF 1

NOT APPLICABLE



**Instructions to the Applicants for Furnishing Information
As A Part of Pre-Qualifications Tender Notice**

1. Intending applicants are required to submit their full bio-data giving details about their organization, location of manufacturing units, experience, technical personnel in their organization, spare capacity competence and adequate evidence of their financial standing etc. in the enclosed format which will be kept confidential.
2. While deciding upon the selection of firms, great emphasis will be given on the ability and competence of applicants to do good quality works within the specified time schedule and in close coordination with other agencies, besides the rate structure of the items.
3. Decision of the Company in regard to selection of firms for issue of tender forms will be final. The Company is not bound to assign any reason thereof.
4. The application shall be signed by person / persons on behalf of the organization having necessary authorization / Power of Attorney to do so.
5. If the space in the proforma is insufficient for furnishing full details, such information may be supplemented on separate sheets of paper stating therein the part of the proforma and serial number. Separate sheets shall be used for each part.
6. Applications containing false and /or inadequate information are liable for rejection.



APQ

BANK NOTE INDIA PAPER MILL PRIVATE LIMITED

SECTION: XX

APPLICATION- PRE-QUALIFICATION

SHEET 2 OF 5

To:

Managing Director
Bank Note Paper Mill India Private Limited
Administrative Building, Entry Gate 1,
Paper Mill Compound,
Note Mudran Nagar,
Mysore - 570003

I / We have read and understood the Pre-qualification tender notice and instructions to the applicants and apply herewith for pre-qualification. . I / We furnish the information in the prescribed format including supplementary sheets fromfor your consideration. I/We do declare that the information furnished is correct and true to the best of my/our knowledge and belief.

Yours faithfully

Signature _____

Name: _____

Designation _____

Address _____

Seal _____



BASIC INFORMATION

1	Name of the applicant / organization and address of the registered office/business office.	
2	(a) Whether bidder is OEM (b) Address of the manufacturing facility in India (c) Annual Capacity of manufacturing facility	Yes / No
3	Type of the organization (whether Sole Proprietorship / Partnership / Private Limited / Limited or Cooperative Body etc).	
4	Name of the Proprietor / Partners / Directors of the Organization / Firm as the case may be.	(a) (b) (c)
5	Details of Registration – (whether Partnership firm, Company etc) – Name of Registering Authority, Date, Registration No etc.	
6	Whether registered with Government / Semi-Government / Municipal Authorities or any other Public Organization as a vendor and if yes provide details thereof.	
7	Experience in the field (Enclose documentary evidence)	_____ Years
8	Address of office through which the proposed work will be handled and the name and designation of the Officer-in-charge.	
9	Names of Bankers and their full addresses	
10	Whether any civil suit / litigation arisen in the contracts executed during the last five years / being executed now. If yes, please furnish the details in the proforma given below.	

Sl. No	Name of the project and employer	Nature of work	PO No. /Agreement No with date	Present stage of work	Value of contract	Brief details of litigation
1						
2						
3						
4						

11. Details of Similar supply completed during last five years ending 31.12.2017. Number of supplementary sheets attached.

Sl No	Description of work including the capacity of the equipment	Name & Address of Customer	PO No. /Agreement No with date	Qty of supply	Delivery period
1					
2					
3					
4					
5					

(Enclose the Customer certificate/Documentary evidence duly attested by authorised signatory)

12. Financial Details

Sl No	Financial Year	Average Annual Turn Over (Rs)	Profit (Rs)	Loss (Rs)
1	2016-17			
2	2015-16			
3	2014-15			

(Enclose the certified/Audited copy of Profit and loss Account and Balance sheet as documentary evidence)

13. Has the applicant been blacklisted/ debarred by BNPMIPL/ BRBNMPL /SPMCIL or any Govt. Departments. Yes/NO



(If yes please provide the details.)

- 14. Declaration on the Firm/company/proprietor, if it is closely related to director of the BNPM Yes/No

Signature of the Applicant _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



APQ

BANK NOTE INDIA PAPER MILL PRIVATE LIMITED

SECTION: XX

APPLICATION PRE Qualification

ANNEXURE- I
SHEET 1 OF 1

e- Tender No: **BNPM/TEN/ Pipes & Fittings /350/2017-18 dated 02.01.2018.**

(To be submitted on the letterhead)

DECLARATION

We do hereby declare that we have not been blacklisted/ debarred by BNPMIPL/ BRBNMPL /SPMCIL or any Govt. Departments. The information provided above is correct and true to the best of my knowledge and belief. In case, at any time the information furnished is found to be false, you my disqualify/debar me/us as deemed fit.

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



APQ

BANK NOTE INDIA PAPER MILL PRIVATE LIMITED

SECTION: XX

APPLICATION PRE Qualification

ANNEXURE- I
SHEET 1 OF 1

e- Tender No: **BNPM/TEN/ Pipes & Fittings /350/2017-18 dated 02.01.2018.**

(To be submitted on the letterhead)

DECLARATION

We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC and SCC and confirm to abide to those conditions without any counter conditions.

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



e- Tender No: **BNPM/TEN/ Pipes & Fittings /350/2017-18 dated 02.01.2018.**

Sl No	Description	Requirements of BNPMIPL, Terms & conditions	Ehether agreed by the firm (Yses/No)	Deviation if any
1.	General specifications	Items should be supplied exactly as per the given specifications mentioned in Section VII of the tender and have enclosed catalogue/brochure of the offered item	Yes/No	
2.	Quantity:	As per tender	Yes/No	
3.	Replacement of Rejection of materials	In case of rejection of material supplier shall replace the rejected material within 15 days on his cost	Yes	
4.	Delivery terms	As per section -VI	Yes	
5.	Payment terms	Payment terms as mentioned in the tender	Yes	
6.	Liquidated Damage	Liquidated Damage clause as mentioned in tender	Yes	
7.	Security Deposit/ Performance security	As per tender	Yes	
8.	Warranty	The items should be warranted against defects in material, design, workmanship etc. for a minimum period of 12 months from the date of supply and acceptance. During warranty period, the item should be replaced free of cost at our Store.	Yes	
9.	Tender terms & conditions	We have gone through entire tender document thoroughly including GIT (Section II - General Instructions to Tenderer), SIT (Section III – Special Instructions to Tenderer), GCC (Section IV - General Conditions Of Contract), and SCC (Section V – Special conditions of contract) and	Yes	

		confirm that we don't have counter conditions. We also understand that offer with counter conditions is liable for rejection		
10.	Customer Certificate/Documentary evidence in support of Technical pre-qualification criteria (Duly certified by signatory authority)	Purchase Order/ Work Order/ Agreement/ work completion certificate		
11.	Certified Copy of Audited Balance Sheet and Profit & loss accounts	FY 2016-17 FY 2015-16 FY 2014-15	Submitted/ Not submitted	
12.	Declaration	Declaration that firm is not debarred/blacklisted	Yes	
13.	Enviro-friendly Packing of Product	The product/item to be supplied should be packed in an environment- friendly manner	Yes	

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



ACW

BANK NOTE INDIA PAPER MILL PRIVATE LIMITED

SECTION XXI

ADDITIONAL CONDITIONS OF WORKS CONTRACT

SHEET 1 OF 1

NOT APPLICABLE



IP

BANK NOTE INDIA PAPER MILL PRIVATE LIMITED

ANNEXURE- XXII

INTEGRITY PACT

SHEET 1 OF 1

NOT APPLICABLE

